

# SENOA



## PG 8118 DigitalBOOST S

- no risk of burns. SafeTouch housing eliminates the danger of burns on all surfaces
- rapid grill-start: from 0 to 500°C in just 10 minutes
- guaranteed success thanks to precise temperature settings in the digital OLED display & integral grill thermometer
- BoostZone: 500°C for perfect brandigs. Double-heating technology for maximum power
- stable stand with storage tray
- also usable as a table grill

### Further advantages:

- indoor and outdoor use
- high quality stainless steel grill rack
- specially developed reflector bowl serves for optimal heat distribution
- power box with built-in safety switch
- many removable parts allow easy cleaning: windscreen, grill rack, power box and heater, reflector bowl



500 °C BOOST ZONE



INDOOR & OUTDOOR



OLED DISPLAY &  
THERMOMETER



XXL POWER CORD



SAFE TOUCH



ECO FRIENDLY



Many removable parts allow easy cleaning



Power cord length 2,0 m



SafeTouch housing eliminates the danger of burns



Water in reflection tray: for easy cleaning, against smoke and odour.



BoostZone: Double-heating technology for maximum power



Single heater: temperatures up to 320°C



Guaranteed success thanks to precise temperature settings in the digital OLED display



With integrated timer & grill thermometer

### For friends of technology:

- Power: max. 3.000 W
- Colour: black / silver
- Dimensions of grill rack: 41,5 x 24 cm (ca. 996 cm<sup>2</sup>)
- Power cord: 2,00 m
- Safety microswitch, heating element automatically switches off when removed
- LED light for status display (standby = blue, <320 ° C = orange, > 320 - 500 ° C = red)
- Grill temperature: 80 ° C - 500 ° C, in 10 ° increments
- Measuring range Barbecue thermometer: 10 ° C to 300 ° C, in 1 ° increments
- Product dimensions without stand base: width 62cm, height 25cm, depth 42cm
- Product dimensions with stand base: width 62cm, height 91cm, depth 50cm
- Working height about 85cm

**Logistics data:**

Weight: 7,00 kg, gross weight (incl. packaging) 8,70 kg

Measurements packaging: 79,5 x 28,9 x 44,6 cm

Display carton, PU1 piece

EAN 4008146034596