


# 300Mbps High Gain Wireless USB Adapter

Increased Range for a Smooth Online Experience











# Highlights


#### N300 Stability for Your Daily Needs

The TL-WN822N reaches speeds of up to 300Mbps, ideal for streaming, gaming and internet calls.



#### **One-Button Security**

With a push of the WPS button, connect the TL-WN822N to the Wi-Fi network without typing a complex password, and stay protected with reliable security.



#### Features



· Fast Wi-Fi – Up to 300Mbps Wi-Fi speed for joyful surfing experience



 Backwards Compatibility – Supports routers utilizing 802.11 b/g/n Wi-Fi standards



### Security

- Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- · WPS Button Easy wireless security encryption at a push of the WPS button



· Broad Wireless Range – 2 high gain antennas ensure superior range and stability

## **Specifications**

#### Wireless

- · Wireless Standard: IEEE 802.11b/g/n 2.4GHz
- · Frequency: 2.4GHz
- · Wireless Mode: Ad-Hoc / Infrastructure Mode
- · Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

#### Hardware

· Interface: Mini USB 2.0

· LED: Status

· Button: WPS

• Dimensions: 3.5 × 2.7 × 0.7 in (90 × 68 × 16.8 mm)

Others

· Package Contents

300Mbps High Gain Wireless USB Adapter TL-WN822N

Quick Installation Guide

Resource CD

USB extension cable

· Certification

FCC, CE, RoHS

· System Requirements

Windows10/8.1/8/7/XP, Mac OS X 10.9-10.13, Linux

Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing







For more information, please visit

http://www.tp-link.com/products/details/TL-WN822N.html

or scan the QR code left

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2018 TP-Link Technologies Co., Ltd. All rights reserved.

\*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

\*To ensure compatibility, you may need to update the adapter's drivers in the download center at tp-link.com/en/download-center.